## SEQUENCE LISTING

```
<110> Huang, Ziwei
      Wang, Jialun
      Zhang, Zhijia
      Shan, Simei
      Lu, Zhixian
<120> Ehancement of Peptide Cellular Uptake
<130> 8321-68
<140>
<141>
<150> 60/128,202
<151> 1999-04-07
<160> 58
<170> PatentIn Ver. 2.1
<210> 1
<211> 26
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser
  1
                                      10
                                                           15
Asp Glu Phe Glu Gly Ser Phe Lys Gly Leu
             20
                                  25
<210> 2
<211> 26
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
```

```
polypeptide <400> 2
```

Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser

1 5 10 15

Asp Glu Phe Glu Gly Ser Phe Lys Gly Leu 20 25

<210> 3

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide
 segment from BH3 domain of a Bcl-2 superfamily
 polypeptide

<400> 3

Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser

1 5 10 15

Asp Glu Phe Glu Gly Ser Phe Lys Gly Leu Pro 20 25

<210> 4

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide
 segment from BH3 domain of a Bcl-2 superfamily
 polypeptide

<400> 4

Pro Ser Ser Thr Met Gly Gln Val Gly Arg Gln Leu Ala Ile Ile Gly

1 5 10 15

Asp Asp Ile Asn Arg Arg Tyr Asp Ser Glu Phe 20 25

<210> 5 <211> 27

```
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 5
Pro Asn Ser Ile Leu Gly Gln Val Gly Arg Gln Leu Ala Leu Ile Gly
Asp Asp Ile Asn Arg Arg Tyr Asp Thr Glu Phe
<210> 6
<211> 27
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
Gln Asp Ala Ser Thr Lys Lys Leu Ser Glu Cys Leu Lys Arg Ile Gly
 1
                  5
                                      10
                                                          15
Asp Glu Leu Asp Ser Asn Met Glu Leu Gln Arg
             20
                                 25
<210> 7
<211> 27
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 7
Gln Asp Ala Ser Thr Lys Lys Leu Ser Glu Cys Leu Arg Arg Ile Gly
                  5
                                     10
```

Asp Glu Leu Asp Ser Asn Met Glu Leu Gln Arg 20 <210> 8 <211> 27 <212> PRT <213> Artificial Sequence <220> <223> Description of Artificial Sequence: Peptide segment from BH3 domain of a Bcl-2 superfamily polypeptide <400> 8 Leu Arg Pro Ala Pro Pro Gly Val His Leu Ala Leu Arg Gln Ala Gly 1 5 10 15 Asp Glu Phe Ser Arg Arg Tyr Gln Arg Asp Phe 20 <210> 9 <211> 27 <212> PRT <213> Artificial Sequence <220> <223> Description of Artificial Sequence: Peptide segment from BH3 domain of a Bcl-2 superfamily polypeptide

<400> 9

Leu Ser Pro Val Pro Pro Val Val His Leu Thr Leu Arg Gln Ala Gly

1 5 10 15

Asp Asp Phe Ser Arg Arg Tyr Arg Arg Asp Phe 20 25

<210> 10

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide segment from BH3 domain of a Bcl-2 superfamily

```
polypeptide
```

```
<400> 10
```

Leu Ser Pro Val Pro Pro Cys Val His Leu Thr Leu Arg Arg Ala Gly
1 5 10 15

Asp Asp Phe Ser Arg Arg Tyr Arg Arg Asp Phe 20 25

<210> 11

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide segment from BH3 domain of a Bcl-2 superfamily polypeptide

<400> 11

Leu Ser Pro Val Pro Pro Val Val His Leu Thr Leu Arg Arg Ala Gly  $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ 

Asp Asp Phe Ser Arg Arg Tyr Arg Arg Asp Phe 20 25

<210> 12

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide segment from BH3 domain of a Bcl-2 superfamily polypeptide

<400> 12

Glu Ile Val Arg Ala Ser Asp Val Arg Gln Ala Leu Arg Asp Ala Gly
1 5 10 15

Asp Glu Phe Glu Leu Arg Tyr Arg Arg Ala Phe
20 25

<210> 13

<211> 27

```
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 13
Glu Val Ile Pro Met Ala Ala Val Lys Gln Ala Leu Arg Glu Ala Gly
                  5
                                      10
  1
Asp Glu Phe Glu Leu Arg Tyr Arg Arg Ala Phe
<210> 14
<211> 27
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 14
Gln Glu Asp Ile Ile Arg Asn Ile Ala Arg His Leu Ala Gln Val Gly
                                      10
Asp Ser Met Asp Arg Ser Ile Pro Pro Gly Leu
             20
                                  25
<210> 15
<211> 27
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bc1-2 superfamily
      polypeptide
<400> 15
Gln Glu Glu Ile Ile His Asn Ile Ala Arg His Leu Ala Gln Ile Gly
                                      10
```

```
Asp Glu Met Asp His Asn Ile Gln Pro Thr Leu
20 25
```

<210> 16

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide segment from BH3 domain of a Bcl-2 superfamily polypeptide

<400> 16

Cys Met Glu Gly Ser Asp Ala Leu Ala Leu Arg Leu Ala Cys Ile Gly
1 5 10 15

Asp Glu Met Asp Val Ser Leu Arg Ala Pro Arg 20 25

<210> 17

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide segment from BH3 domain of a Bcl-2 superfamily polypeptide

<400> 17

Arg Ser Ser Ala Ala Gln Leu Thr Ala Ala Arg Leu Lys Ala Leu Gly
1 5 10 15

Asp Glu Leu His Gln Arg Thr Met Trp Arg Arg
20 25

<210> 18

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide segment from BH3 domain of a Bcl-2 superfamily

```
polypeptide

<400> 18

Arg Trp Ala Ala Ala Gln Val Thr Ala Leu Arg Leu Gln Ala Leu Gly

1 5 10 15

Asp Glu Leu His Arg Arg Ala Met Arg Arg Arg

20 25
```

<210> 19 <211> 27 <212> PRT <213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Peptide
segment from BH3 domain of a Bcl-2 superfamily
polypeptide

Asp Glu Phe Asn Ala Tyr Tyr Ala Arg Arg Val 20 25

<210> 20 <211> 27 <212> PRT <213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Peptide
segment from BH3 domain of a Bcl-2 superfamily
polypeptide

<400> 20
Leu Gln Met Leu Lys Gly Glu Lys Leu Gln Val Leu Lys Gly Thr Gly
1 5 10 15

Asp Trp Trp Leu Ala Arg Ser Leu Val Thr Gly
20 25

<210> 21 <211> 27

```
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 21
Pro Gly Gly Arg Leu Ala Glu Val Cys Thr Val Leu Leu Arg Leu Gly
Asp Glu Leu Glu Gln Ile Arg Pro Ser Val Tyr
             20
<210> 22
<211> 27
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 22
Asp Ile Glu Arg Arg Lys Glu Val Glu Ser Ile Leu Lys Lys Asn Ser
Asp Trp Ile Trp Asp Trp Ser Ser Arg Pro Glu
             20
<210> 23
<211> 27
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bc1-2 superfamily
      polypeptide
Ile Ser Ser Ile Gly Tyr Glu Ile Gly Ser Lys Leu Ala Ala Met Cys
                  5
```

10

15

```
Asp Asp Phe Asp Ala Gln Met Met Ser Tyr Ser
20 25
```

<210> 24

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide
 segment from BH3 domain of a Bcl-2 superfamily
 polypeptide

<400> 24

Glu Gly Pro Ala Ala Asp Pro Leu His Gln Ala Met Arg Ala Ala Gly
1 5 10 15

Asp Glu Phe Glu Thr Arg Phe Arg Arg Thr Phe 20 25

<210> 25

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide
 segment from BH3 domain of a Bcl-2 superfamily
 polypeptide

<400> 25

Ser Gly Ala Thr Ser Arg Lys Ala Leu Glu Thr Leu Arg Arg Val Gly
1 5 10 15

Asp Gly Val Gln Arg Asn His Glu Thr Val Phe 20 25

<210> 26

<211> 27

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Peptide segment from BH3 domain of a Bcl-2 superfamily

## polypeptide

```
<400> 26
Ala Ala Leu Pro Pro Ser Ala Thr Ala Ala Glu Leu Arg Arg Ala Ala
 1
                  5
                                      10
                                                          15
Ala Glu Leu Glu Arg Arg Glu Arg Pro Phe Phe
             20
                                  25
<210> 27
<211> 27
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 27
Met Phe Asp Val Glu Met His Thr Ser Arg Asp His Ser Ser Gln Ser
 1
                  5
                                      10
Glu Glu Glu Val Val Glu Gly Glu Lys Glu Val
             20
                                  25
<210> 28
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 28
```

Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser Asp Glu Phe Glu Gly
1 5 10 15

<210> 29

<211> 16

<212> PRT

<213> Artificial Sequence

```
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bc1-2 superfamily
      polypeptide
<400> 29
Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met Ser Asp Glu Phe Val Asp
                                     10
<210> 30
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 30
Gly Gln Val Gly Arg Gln Leu Ala Ile Ile Gly Asp Asp Ile Asn Arg
  1
                                     10
<210> 31
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 31
Gly Gln Val Gly Arg Gln Leu Ala Leu Ile Gly Asp Asp Ile Asn Arg
                                     10
<210> 32
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
```

```
polypeptide
<400> 32
Lys Lys Leu Ser Glu Cys Leu Lys Arg Ile Gly Asp Glu Leu Asp Ser
                                      10
<210> 33
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 33
Lys Lys Leu Ser Glu Cys Leu Arg Arg Ile Gly Asp Glu Leu Asp Ser
                  5
                                      10
                                                          15
<210> 34
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 34
Lys Lys Leu Ser Glu Cys Leu Lys Arg Ile Arg Asp Glu Leu Asp Ser
  1
                  5
                                     10
                                                          15
<210> 35
<211> 16
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Peptide
```

<400> 35

polypeptide

segment from BH3 domain of a Bcl-2 superfamily

```
Pro Gly Val His Leu Ala Leu Arg Gln Ala Gly Asp Glu Phe Ser Arg
                  5
 1
<210> 36
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 36
Pro Val Val His Leu Thr Leu Arg Gln Ala Gly Asp Asp Phe Ser Arg
<210> 37
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 37
Pro Cys Val His Leu Thr Leu Arg Arg Ala Gly Asp Asp Phe Ser Arg
                  5
  1
                                      10
                                                          15
<210> 38
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
Pro Val Val His Leu Thr Leu Arg Arg Ala Gly Asp Asp Phe Ser Arg
                  5
                                      10
                                                          15
```

```
<210> 39
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Description of
      Artificial Sequence : Peptide segment from BH3
      domain of a Bcl-2 superfamily polypeptide
<400> 39
Ser Asp Val Arg Gln Ala Leu Arg Asp Ala Gly Asp Glu Phe Glu Leu
                                      10
<210> 40
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bc1-2 superfamily
      polypeptide
<400> 40
Ala Ala Val Lys Gln Ala Leu Arg Glu Ala Gly Asp Glu Phe Glu Leu
                                      10
<210> 41
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 41
Arg Asn Ile Ala Arg His Leu Ala Gln Val Gly Asp Ser Met Asp Arg
                                      10
<210> 42
<211> 16
```

```
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 42
His Asn Ile Ala Arg His Leu Ala Gln Ile Gly Asp Glu Met Asp His
                                      10
<210> 43
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 43
Asp Ala Leu Ala Leu Arg Leu Ala Cys Ile Gly Asp Glu Met Asp Val
  1
                                      10
<210> 44
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 44
Gln Leu Thr Ala Ala Arg Leu Lys Ala Leu Gly Asp Glu Leu His Gln
                  5
                                     10
<210> 45
<211> 16
<212> PRT
```

<213> Artificial Sequence

```
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 45
Gln Val Thr Ala Leu Arg Leu Gln Ala Leu Gly Asp Glu Leu His Arg
                  5
                                      10
<210> 46
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn Ala
 1
                  5
                                      10
                                                          15
<210> 47
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
     polypeptide
<400> 47
Gly Glu Lys Leu Gln Val Leu Lys Gly Thr Gly Asp Trp Trp Leu Ala
                  5
                                      10
                                                          15
<210> 48
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
```

<400> 51

```
polypeptide
Ala Glu Val Cys Thr Val Leu Leu Arg Leu Gly Asp Glu Leu Glu Gln
                  5
                                      10
<210> 49
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 49
Lys Glu Val Glu Ser Ile Leu Lys Lys Asn Ser Asp Trp Ile Trp Asp
                                      10
                                                          15
<210> 50
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bc1-2 superfamily
      polypeptide
<400> 50
Tyr Glu Ile Gly Ser Lys Leu Ala Ala Met Cys Asp Asp Phe Asp Ala
                                      10
<210> 51
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
```

```
Asp Pro Leu His Gln Ala Met Arg Ala Ala Gly Asp Glu Phe Glu Thr
                                      10
                  5
<210> 52
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 52
Arg Lys Ala Leu Glu Thr Leu Arg Arg Val Gly Asp Gly Val Gln Arg
                                      10
<210> 53
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 53
Ser Ala Thr Ala Ala Glu Leu Arg Arg Ala Ala Ala Glu Leu Glu Arg
                                      10
<210> 54
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 54
Met His Thr Ser Arg Asp His Ser Ser Gln Ser Glu Glu Glu Val Val
                  5
```

```
<210> 55
<211> 28
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:Peptide segment
      from BH3 domain of a Bcl-2 superfamily polypeptide
<400> 55
Lys Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met
                                                           15
                  5
                                      10
  1
Ser Asp Glu Phe Glu Gly Ser Phe Lys Gly Leu Lys
             20
<210> 56
<211> 27
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 56
Lys Asn Leu Trp Ala Ala Gln Arg Tyr Gly Arg Glu Leu Arg Arg Met
  1
                  5
                                      10
                                                           15
Ser Asp Glu Phe Glu Gly Ser Phe Lys Gly Leu
             20
                                  25
<210> 57
<211> 17
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Peptide
      segment from BH3 domain of a Bcl-2 superfamily
      polypeptide
<400> 57
```

Lys Gly Gln Val Gly Arg Gln Leu Ala Ile Ile Gly Asp Asp Ile Asn

1 5 10 15

Arg

<210> 58

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Leu to Ala mutant of SEQ ID NO:30

<400> 58

Gly Gln Val Gly Arg Gln Ala Ala Ile Ile Gly Asp Asp Ile Asn Arg 1 5 10 15